



CERTIFICATE OF ANALYSIS

REPORTED TO	Slocan River Streamkeepers PO Box 47 Winlaw, BC V0G 2J0	WORK ORDER	21H3009
ATTENTION	Dominique Monnier	RECEIVED / TEMP REPORTED	2021-08-24 08:50 / 8.6°C
PO NUMBER		REPORTED	2021-09-10 09:40
PROJECT	SIFCO	COC NUMBER	No Number
PROJECT INFO			

Introduction:

CARO Analytical Services is a testing laboratory full of smart, engaged scientists driven to make the world a safer and healthier place. Through our clients' projects we become an essential element for a better world. We employ methods conducted in accordance with recognized professional standards using accepted testing methodologies and quality control efforts. CARO is accredited by the Canadian Association for Laboratories Accreditation (CALA) to ISO/IEC 17025:2017 for specific tests listed in the scope of accreditation approved by CALA.

Big Picture Sidekicks



You know that the sample you collected after snowshoeing to site, digging 5 meters, and racing to get it on a plane so you can submit it to the lab for time sensitive results needed to make important and expensive decisions (whew) is VERY important. We know that too.

We've Got Chemistry



It's simple. We figure the more you enjoy working with our fun and engaged team members; the more likely you are to give us continued opportunities to support you.

Ahead of the Curve



Through research, regulation knowledge, and instrumentation, we are your analytical centre for the technical knowledge you need, BEFORE you need it, so you can stay up to date and in the know.

Work Order Comments:

Custody Seals Intact: N/A


If you have any questions or concerns, please contact me at teamcaro@caro.ca

Authorized By:

Team CARO
Client Service Representative

1-888-311-8846 | www.caro.ca

#110 4011 Viking Way Richmond, BC V6V 2K9 | #102 3677 Highway 97N Kelowna, BC V1X 5C3 | 17225 109 Avenue Edmonton, AB T5S 1H7 | #108 4475 Wayburne Drive Burnaby, BC V5G 4X4




TEST RESULTS

REPORTED TO PROJECT Slocan River Streamkeepers
SIFCO

WORK ORDER REPORTED 21H3009
2021-09-10 09:40

Analyte	Result	Guideline	RL Units	Analyzed	Qualifier
WIN-WQ01 (21H3009-01) Matrix: Water Sampled: 2021-08-23 09:30					
Anions					
Nitrate (as N)	< 0.010	MAC = 10	0.010 mg/L	2021-08-27	HT1
Nitrite (as N)	< 0.010	MAC = 1	0.010 mg/L	2021-08-27	HT1
Phosphate (as P)	< 0.0050	N/A	0.0050 mg/L	2021-08-27	HT1
Calculated Parameters					
Hardness, Total (as CaCO3)	63.4	None Required	0.500 mg/L	N/A	
Nitrate+Nitrite (as N)	< 0.0100	N/A	0.0100 mg/L	N/A	
Nitrogen, Total	6.00	N/A	0.100 mg/L	N/A	
General Parameters					
Ammonia, Total (as N)	0.103	None Required	0.050 mg/L	2021-08-26	
Nitrogen, Total Kjeldahl	6.00	N/A	0.050 mg/L	2021-08-27	
Phosphorus, Total (as P)	1.12	N/A	0.0050 mg/L	2021-08-27	
Total Metals					
Aluminum, total	1.15	OG < 0.1	0.0050 mg/L	2021-08-27	
Antimony, total	0.00088	MAC = 0.006	0.00020 mg/L	2021-08-27	
Arsenic, total	0.00069	MAC = 0.01	0.00050 mg/L	2021-08-27	
Barium, total	0.0561	MAC = 2	0.0050 mg/L	2021-08-27	
Beryllium, total	0.00015	N/A	0.00010 mg/L	2021-08-27	
Bismuth, total	< 0.00010	N/A	0.00010 mg/L	2021-08-27	
Boron, total	< 0.0500	MAC = 5	0.0500 mg/L	2021-08-27	
Cadmium, total	0.000125	MAC = 0.005	0.000010 mg/L	2021-08-27	
Calcium, total	21.2	None Required	0.20 mg/L	2021-08-27	
Chromium, total	0.00157	MAC = 0.05	0.00050 mg/L	2021-08-27	
Cobalt, total	0.00030	N/A	0.00010 mg/L	2021-08-27	
Copper, total	0.00117	MAC = 2	0.00040 mg/L	2021-08-27	
Iron, total	0.810	AO ≤ 0.3	0.010 mg/L	2021-08-27	
Lead, total	0.00733	MAC = 0.005	0.00020 mg/L	2021-08-27	
Lithium, total	0.00120	N/A	0.00010 mg/L	2021-08-27	
Magnesium, total	2.51	None Required	0.010 mg/L	2021-08-27	
Manganese, total	0.140	MAC = 0.12	0.00020 mg/L	2021-08-27	
Molybdenum, total	0.00154	N/A	0.00010 mg/L	2021-08-27	
Nickel, total	0.00083	N/A	0.00040 mg/L	2021-08-27	
Phosphorus, total	< 0.050	N/A	0.050 mg/L	2021-08-27	
Potassium, total	0.84	N/A	0.10 mg/L	2021-08-27	
Selenium, total	< 0.00050	MAC = 0.05	0.00050 mg/L	2021-08-27	
Silicon, total	6.6	N/A	1.0 mg/L	2021-08-27	
Silver, total	< 0.000050	None Required	0.000050 mg/L	2021-08-27	
Sodium, total	1.57	AO ≤ 200	0.10 mg/L	2021-08-27	
Strontium, total	0.565	7	0.0010 mg/L	2021-08-27	
Sulfur, total	3.5	N/A	3.0 mg/L	2021-08-27	
Tellurium, total	< 0.00050	N/A	0.00050 mg/L	2021-08-27	
Thallium, total	< 0.000020	N/A	0.000020 mg/L	2021-08-27	



TEST RESULTS

REPORTED TO PROJECT Slocan River Streamkeepers
SIFCO

WORK ORDER REPORTED 21H3009
2021-09-10 09:40

Analyte	Result	Guideline	RL	Units	Analyzed	Qualifier
WIN-WQ01 (21H3009-01) Matrix: Water Sampled: 2021-08-23 09:30, Continued						
<i>Total Metals, Continued</i>						
Thorium, total	< 0.00010	N/A	0.00010	mg/L	2021-08-27	
Tin, total	< 0.00020	N/A	0.00020	mg/L	2021-08-27	
Titanium, total	0.0341	N/A	0.0050	mg/L	2021-08-27	
Tungsten, total	< 0.0010	N/A	0.0010	mg/L	2021-08-27	
Uranium, total	0.00114	MAC = 0.02	0.000020	mg/L	2021-08-27	
Vanadium, total	0.0022	N/A	0.0010	mg/L	2021-08-27	
Zinc, total	0.0094	AO ≤ 5	0.0040	mg/L	2021-08-27	
Zirconium, total	0.00023	N/A	0.00010	mg/L	2021-08-27	


TRO-WQ01 (21H3009-02) | Matrix: Water | Sampled: 2021-08-23 10:20

<i>Anions</i>						
Nitrate (as N)	< 0.010	MAC = 10	0.010	mg/L	2021-08-27	HT1
Nitrite (as N)	< 0.010	MAC = 1	0.010	mg/L	2021-08-27	HT1
Phosphate (as P)	0.0166	N/A	0.0050	mg/L	2021-08-27	HT1

<i>Calculated Parameters</i>						
Hardness, Total (as CaCO3)	106	None Required	0.500	mg/L	N/A	
Nitrate+Nitrite (as N)	< 0.0100	N/A	0.0100	mg/L	N/A	
Nitrogen, Total	0.280	N/A	0.0500	mg/L	N/A	

<i>General Parameters</i>						
Ammonia, Total (as N)	0.084	None Required	0.050	mg/L	2021-08-26	
Nitrogen, Total Kjeldahl	0.280	N/A	0.050	mg/L	2021-08-27	
Phosphorus, Total (as P)	0.0802	N/A	0.0050	mg/L	2021-08-27	

<i>Total Metals</i>						
Aluminum, total	32.2	OG < 0.1	0.0050	mg/L	2021-08-27	
Antimony, total	0.00094	MAC = 0.006	0.00020	mg/L	2021-08-27	
Arsenic, total	0.00559	MAC = 0.01	0.00050	mg/L	2021-08-27	
Barium, total	0.334	MAC = 2	0.0050	mg/L	2021-08-27	
Beryllium, total	0.00241	N/A	0.00010	mg/L	2021-08-27	
Bismuth, total	0.00172	N/A	0.00010	mg/L	2021-08-27	
Boron, total	< 0.0500	MAC = 5	0.0500	mg/L	2021-08-27	
Cadmium, total	0.000606	MAC = 0.005	0.000010	mg/L	2021-08-27	
Calcium, total	23.6	None Required	0.20	mg/L	2021-08-27	
Chromium, total	0.0542	MAC = 0.05	0.00050	mg/L	2021-08-27	
Cobalt, total	0.0113	N/A	0.00010	mg/L	2021-08-27	
Copper, total	0.0346	MAC = 2	0.00040	mg/L	2021-08-27	
Iron, total	29.2	AO ≤ 0.3	0.010	mg/L	2021-08-27	
Lead, total	0.0400	MAC = 0.005	0.00020	mg/L	2021-08-27	
Lithium, total	0.0524	N/A	0.00010	mg/L	2021-08-27	
Magnesium, total	11.4	None Required	0.010	mg/L	2021-08-27	
Manganese, total	2.12	MAC = 0.12	0.00020	mg/L	2021-08-27	



TEST RESULTS


REPORTED TO PROJECT Slocan River Streamkeepers
SIFCO

WORK ORDER REPORTED 21H3009
2021-09-10 09:40

Analyte	Result	Guideline	RL Units	Analyzed	Qualifier
TRO-WQ01 (21H3009-02) Matrix: Water Sampled: 2021-08-23 10:20, Continued					
<i>Total Metals, Continued</i>					
Molybdenum, total	0.00574	N/A	0.00010 mg/L	2021-08-27	
Nickel, total	0.0269	N/A	0.00040 mg/L	2021-08-27	
Phosphorus, total	0.793	N/A	0.050 mg/L	2021-08-27	
Potassium, total	5.28	N/A	0.10 mg/L	2021-08-27	
Selenium, total	< 0.00050	MAC = 0.05	0.00050 mg/L	2021-08-27	
Silicon, total	48.3	N/A	1.0 mg/L	2021-08-27	
Silver, total	0.000391	None Required	0.000050 mg/L	2021-08-27	
Sodium, total	2.28	AO ≤ 200	0.10 mg/L	2021-08-27	
Strontium, total	0.374	7	0.0010 mg/L	2021-08-27	
Sulfur, total	< 3.0	N/A	3.0 mg/L	2021-08-27	
Tellurium, total	< 0.00050	N/A	0.00050 mg/L	2021-08-27	
Thallium, total	0.000504	N/A	0.000020 mg/L	2021-08-27	
Thorium, total	0.00633	N/A	0.00010 mg/L	2021-08-27	
Tin, total	0.00083	N/A	0.00020 mg/L	2021-08-27	
Titanium, total	0.882	N/A	0.0050 mg/L	2021-08-27	
Tungsten, total	0.0011	N/A	0.0010 mg/L	2021-08-27	
Uranium, total	0.119	MAC = 0.02	0.000020 mg/L	2021-08-27	
Vanadium, total	0.0561	N/A	0.0010 mg/L	2021-08-27	
Zinc, total	0.164	AO ≤ 5	0.0040 mg/L	2021-08-27	
Zirconium, total	0.00449	N/A	0.00010 mg/L	2021-08-27	

Sample Qualifiers:

HT1 The sample was prepared and/or analyzed past the recommended holding time.



APPENDIX 1: SUPPORTING INFORMATION

REPORTED TO PROJECT Slocan River Streamkeepers
SIFCO

WORK ORDER REPORTED 21H3009
2021-09-10 09:40

Analysis Description	Method Ref.	Technique	Accredited	Location
Ammonia, Total in Water	SM 4500-NH3 G* (2017)	Automated Colorimetry (Phenate)	✓	Kelowna
Anions in Water	SM 4110 B (2017)	Ion Chromatography	✓	Kelowna
Hardness in Water	SM 2340 B* (2017)	Calculation: 2.497 [total Ca] + 4.118 [total Mg] (Est)	✓	N/A
Nitrogen, Total Kjeldahl in Water	SM 4500-Norg D* (2017)	Block Digestion and Flow Injection Analysis	✓	Kelowna
Phosphorus, Total in Water	SM 4500-P B.5* (2011) / SM 4500-P F (2017)	Persulfate Digestion / Automated Colorimetry (Ascorbic Acid)	✓	Kelowna
Total Metals in Water	EPA 200.2 / EPA 6020B	HNO3+HCl Hot Block Digestion / Inductively Coupled Plasma-Mass Spectroscopy (ICP-MS)	✓	Richmond

Note: An asterisk in the Method Reference indicates that the CARO method has been modified from the reference method

Glossary of Terms:

RL	Reporting Limit (default)
<	Less than the specified Reporting Limit (RL) - the actual RL may be higher than the default RL due to various factors
AO	Aesthetic Objective
MAC	Maximum Acceptable Concentration (health based)
mg/L	Milligrams per litre
OG	Operational Guideline (treated water)
EPA	United States Environmental Protection Agency Test Methods
SM	Standard Methods for the Examination of Water and Wastewater, American Public Health Association

Guidelines Referenced in this Report:

[Guidelines for Canadian Drinking Water Quality \(Health Canada, June 2019\)](#)


Note: In some cases, the values displayed on the report represent the lowest guideline and are to be verified by the end user

General Comments:

The results in this report apply to the samples analyzed in accordance with the Chain of Custody document. This analytical report must be reproduced in its entirety. CARO is not responsible for any loss or damage resulting directly or indirectly from error or omission in the conduct of testing. Liability is limited to the cost of analysis. Samples will be disposed of 30 days after the test report has been issued or once samples expire, whichever comes first. Longer hold is possible if agreed to in writing.

Results in **Bold** indicate values that are above CARO's method reporting limits. Any results that are above regulatory limits are highlighted **red**. Please note that results will only be highlighted red if the regulatory limits are included on the CARO report. Any Bold and/or highlighted results do not take into account method uncertainty. If you would like method uncertainty or regulatory limits to be included on your report, please contact your Account Manager: teamcaro@caro.ca

Please note any regulatory guidelines applied to this report are added as a convenience to the client, at their request, to help provide some initial context to analytical results obtained. Although CARO makes every effort to ensure accuracy of the associated regulatory guideline(s) applied, the guidelines applied cannot be assumed to be correct due to a variety of factors and as such CARO Analytical Services assumes no liability or responsibility for the use of those guidelines to make any decisions. The original source of the regulation should be verified and a review of the guideline(s) should be validated as correct in order to make any decisions arising from the comparison of the analytical data obtained to the relevant regulatory guideline for one's particular circumstances. Further, CARO Analytical Services assumes no liability or responsibility for any loss attributed from the use of these guidelines in any way.



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Slocan River Streamkeepers
SIFCO

WORK ORDER REPORTED 21H3009
2021-09-10 09:40

The following section displays the quality control (QC) data that is associated with your sample data. Groups of samples are prepared in "batches" and analyzed in conjunction with QC samples that ensure your data is of the highest quality. Common QC types include:


- **Method Blank (Blk):** A blank sample that undergoes sample processing identical to that carried out for the test samples. Method blank results are used to assess contamination from the laboratory environment and reagents.
- **Duplicate (Dup):** An additional or second portion of a randomly selected sample in the analytical run carried through the entire analytical process. Duplicates provide a measure of the analytical method's precision (reproducibility).
- **Blank Spike (BS):** A sample of known concentration which undergoes processing identical to that carried out for test samples, also referred to as a laboratory control sample (LCS). Blank spikes provide a measure of the analytical method's accuracy.
- **Matrix Spike (MS):** A second aliquot of sample is fortified with with a known concentration of target analytes and carried through the entire analytical process. Matrix spikes evaluate potential matrix effects that may affect the analyte recovery.
- **Reference Material (SRM):** A homogenous material of similar matrix to the samples, certified for the parameter(s) listed. Reference Materials ensure that the analytical process is adequate to achieve acceptable recoveries of the parameter(s) tested.

Each QC type is analyzed at a 5-10% frequency, i.e. one blank/duplicate/spike for every 10-20 samples. For all types of QC, the specified recovery (% Rec) and relative percent difference (RPD) limits are derived from long-term method performance averages and/or prescribed by the reference method.

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
Anions, Batch B1H2580									
Blank (B1H2580-BLK1)			Prepared: 2021-08-27, Analyzed: 2021-08-27						
Nitrate (as N)	< 0.010	0.010 mg/L							
Nitrite (as N)	< 0.010	0.010 mg/L							
Phosphate (as P)	< 0.0050	0.0050 mg/L							
Blank (B1H2580-BLK2)			Prepared: 2021-08-27, Analyzed: 2021-08-27						
Nitrate (as N)	< 0.010	0.010 mg/L							
Nitrite (as N)	< 0.010	0.010 mg/L							
Phosphate (as P)	< 0.0050	0.0050 mg/L							
LCS (B1H2580-BS1)			Prepared: 2021-08-27, Analyzed: 2021-08-27						
Nitrate (as N)	4.17	0.010 mg/L	4.00		104	90-110			
Nitrite (as N)	1.97	0.010 mg/L	2.00		98	85-115			
Phosphate (as P)	0.926	0.0050 mg/L	1.00		93	80-120			
LCS (B1H2580-BS2)			Prepared: 2021-08-27, Analyzed: 2021-08-27						
Nitrate (as N)	4.13	0.010 mg/L	4.00		103	90-110			
Nitrite (as N)	1.98	0.010 mg/L	2.00		99	85-115			
Phosphate (as P)	1.02	0.0050 mg/L	1.00		102	80-120			
Duplicate (B1H2580-DUP1)			Source: 21H3009-01		Prepared: 2021-08-27, Analyzed: 2021-08-27				
Nitrate (as N)	< 0.010	0.010 mg/L		< 0.010					10
Nitrite (as N)	< 0.010	0.010 mg/L		< 0.010					15
Phosphate (as P)	< 0.0050	0.0050 mg/L		< 0.0050					20
Matrix Spike (B1H2580-MS1)			Source: 21H3009-01		Prepared: 2021-08-27, Analyzed: 2021-08-27				
Nitrate (as N)	3.92	0.010 mg/L	4.00	< 0.010	98	75-125			
Nitrite (as N)	1.92	0.010 mg/L	2.00	< 0.010	96	80-120			
Phosphate (as P)	1.00	0.0050 mg/L	1.00	< 0.0050	100	70-130			

General Parameters, Batch B1H2534

Blank (B1H2534-BLK1)			Prepared: 2021-08-26, Analyzed: 2021-08-26						
Ammonia, Total (as N)	< 0.010	0.010 mg/L							
Blank (B1H2534-BLK2)			Prepared: 2021-08-26, Analyzed: 2021-08-26						
Ammonia, Total (as N)	< 0.010	0.010 mg/L							



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Slocan River Streamkeepers
SIFCO

WORK ORDER REPORTED 21H3009
2021-09-10 09:40

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

General Parameters, Batch B1H2534, Continued

LCS (B1H2534-BS1)			Prepared: 2021-08-26, Analyzed: 2021-08-26						
Ammonia, Total (as N)	0.949	0.010 mg/L	1.00		95	90-115			
LCS (B1H2534-BS2)			Prepared: 2021-08-26, Analyzed: 2021-08-26						
Ammonia, Total (as N)	0.971	0.010 mg/L	1.00		97	90-115			

General Parameters, Batch B1H2647


Blank (B1H2647-BLK1)			Prepared: 2021-08-26, Analyzed: 2021-08-27						
Nitrogen, Total Kjeldahl	< 0.050	0.050 mg/L							
Blank (B1H2647-BLK2)			Prepared: 2021-08-26, Analyzed: 2021-08-27						
Nitrogen, Total Kjeldahl	< 0.050	0.050 mg/L							
LCS (B1H2647-BS1)			Prepared: 2021-08-26, Analyzed: 2021-08-27						
Nitrogen, Total Kjeldahl	1.00	0.050 mg/L	1.00		100	85-115			
LCS (B1H2647-BS2)			Prepared: 2021-08-26, Analyzed: 2021-08-27						
Nitrogen, Total Kjeldahl	1.02	0.050 mg/L	1.00		102	85-115			

General Parameters, Batch B1H2705

Blank (B1H2705-BLK1)			Prepared: 2021-08-26, Analyzed: 2021-08-27						
Phosphorus, Total (as P)	< 0.0050	0.0050 mg/L							
Blank (B1H2705-BLK2)			Prepared: 2021-08-26, Analyzed: 2021-08-27						
Phosphorus, Total (as P)	< 0.0050	0.0050 mg/L							
LCS (B1H2705-BS1)			Prepared: 2021-08-26, Analyzed: 2021-08-27						
Phosphorus, Total (as P)	0.110	0.0050 mg/L	0.100		110	85-115			
LCS (B1H2705-BS2)			Prepared: 2021-08-26, Analyzed: 2021-08-27						
Phosphorus, Total (as P)	0.112	0.0050 mg/L	0.100		112	85-115			

Total Metals, Batch B1H2768

Blank (B1H2768-BLK1)			Prepared: 2021-08-27, Analyzed: 2021-08-27						
Aluminum, total	< 0.0050	0.0050 mg/L							
Antimony, total	< 0.00020	0.00020 mg/L							
Arsenic, total	< 0.00050	0.00050 mg/L							
Barium, total	< 0.0050	0.0050 mg/L							
Beryllium, total	< 0.00010	0.00010 mg/L							
Bismuth, total	< 0.00010	0.00010 mg/L							
Boron, total	< 0.0500	0.0500 mg/L							
Cadmium, total	< 0.000010	0.000010 mg/L							
Calcium, total	< 0.20	0.20 mg/L							
Chromium, total	< 0.00050	0.00050 mg/L							
Cobalt, total	< 0.00010	0.00010 mg/L							
Copper, total	< 0.00040	0.00040 mg/L							
Iron, total	< 0.010	0.010 mg/L							
Lead, total	< 0.00020	0.00020 mg/L							
Lithium, total	< 0.00010	0.00010 mg/L							
Magnesium, total	< 0.010	0.010 mg/L							
Manganese, total	< 0.00020	0.00020 mg/L							
Molybdenum, total	< 0.00010	0.00010 mg/L							
Nickel, total	< 0.00040	0.00040 mg/L							
Phosphorus, total	< 0.050	0.050 mg/L							



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Slocan River Streamkeepers
SIFCO

WORK ORDER REPORTED 21H3009
2021-09-10 09:40

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Total Metals, Batch B1H2768, Continued

Blank (B1H2768-BLK1), Continued


Prepared: 2021-08-27, Analyzed: 2021-08-27

Potassium, total	< 0.10	0.10 mg/L							
Selenium, total	< 0.00050	0.00050 mg/L							
Silicon, total	< 1.0	1.0 mg/L							
Silver, total	< 0.000050	0.000050 mg/L							
Sodium, total	< 0.10	0.10 mg/L							
Strontium, total	< 0.0010	0.0010 mg/L							
Sulfur, total	< 3.0	3.0 mg/L							
Tellurium, total	< 0.00050	0.00050 mg/L							
Thallium, total	< 0.000020	0.000020 mg/L							
Thorium, total	< 0.00010	0.00010 mg/L							
Tin, total	< 0.00020	0.00020 mg/L							
Titanium, total	< 0.0050	0.0050 mg/L							
Tungsten, total	< 0.0010	0.0010 mg/L							
Uranium, total	< 0.000020	0.000020 mg/L							
Vanadium, total	< 0.0010	0.0010 mg/L							
Zinc, total	< 0.0040	0.0040 mg/L							
Zirconium, total	< 0.00010	0.00010 mg/L							

LCS (B1H2768-BS1)

Prepared: 2021-08-27, Analyzed: 2021-08-27

Aluminum, total	0.0227	0.0050 mg/L	0.0199		114	80-120			
Antimony, total	0.0211	0.00020 mg/L	0.0200		105	80-120			
Arsenic, total	0.0188	0.00050 mg/L	0.0200		94	80-120			
Barium, total	0.0194	0.0050 mg/L	0.0198		98	80-120			
Beryllium, total	0.0185	0.00010 mg/L	0.0198		93	80-120			
Bismuth, total	0.0189	0.00010 mg/L	0.0200		95	80-120			
Boron, total	< 0.0500	0.0500 mg/L	0.0200		107	80-120			
Cadmium, total	0.0190	0.000010 mg/L	0.0199		96	80-120			
Calcium, total	1.85	0.20 mg/L	2.02		91	80-120			
Chromium, total	0.0197	0.00050 mg/L	0.0198		99	80-120			
Cobalt, total	0.0194	0.00010 mg/L	0.0199		98	80-120			
Copper, total	0.0198	0.00040 mg/L	0.0200		99	80-120			
Iron, total	1.98	0.010 mg/L	2.02		98	80-120			
Lead, total	0.0191	0.00020 mg/L	0.0199		96	80-120			
Lithium, total	0.0184	0.00010 mg/L	0.0200		92	80-120			
Magnesium, total	2.01	0.010 mg/L	2.02		99	80-120			
Manganese, total	0.0197	0.00020 mg/L	0.0199		99	80-120			
Molybdenum, total	0.0198	0.00010 mg/L	0.0200		99	80-120			
Nickel, total	0.0193	0.00040 mg/L	0.0200		97	80-120			
Phosphorus, total	1.90	0.050 mg/L	2.00		95	80-120			
Potassium, total	1.88	0.10 mg/L	2.02		93	80-120			
Selenium, total	0.0194	0.00050 mg/L	0.0200		97	80-120			
Silicon, total	2.1	1.0 mg/L	2.00		104	80-120			
Silver, total	0.0185	0.000050 mg/L	0.0200		93	80-120			
Sodium, total	1.99	0.10 mg/L	2.02		98	80-120			
Strontium, total	0.0182	0.0010 mg/L	0.0200		91	80-120			
Sulfur, total	4.9	3.0 mg/L	5.00		97	80-120			
Tellurium, total	0.0191	0.00050 mg/L	0.0200		95	80-120			
Thallium, total	0.0187	0.000020 mg/L	0.0199		94	80-120			
Thorium, total	0.0183	0.00010 mg/L	0.0200		92	80-120			
Tin, total	0.0205	0.00020 mg/L	0.0200		103	80-120			
Titanium, total	0.0210	0.0050 mg/L	0.0200		105	80-120			
Tungsten, total	0.0199	0.0010 mg/L	0.0200		99	80-120			
Uranium, total	0.0186	0.000020 mg/L	0.0200		93	80-120			
Vanadium, total	0.0199	0.0010 mg/L	0.0200		100	80-120			
Zinc, total	0.0214	0.0040 mg/L	0.0200		107	80-120			
Zirconium, total	0.0215	0.00010 mg/L	0.0200		108	80-120			




APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Slocan River Streamkeepers
SIFCO

WORK ORDER REPORTED 21H3009
2021-09-10 09:40

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
Total Metals, Batch B1H2768, Continued									
Duplicate (B1H2768-DUP1)		Source: 21H3009-02		Prepared: 2021-08-27, Analyzed: 2021-08-27					
Aluminum, total	31.6	0.0050 mg/L		32.2			2	20	
Antimony, total	0.00094	0.00020 mg/L		0.00094				20	
Arsenic, total	0.00517	0.00050 mg/L		0.00559			8	20	
Barium, total	0.337	0.0050 mg/L		0.334			< 1	20	
Beryllium, total	0.00239	0.00010 mg/L		0.00241			< 1	20	
Bismuth, total	0.00176	0.00010 mg/L		0.00172			2	20	
Boron, total	< 0.0500	0.0500 mg/L		< 0.0500				20	
Cadmium, total	0.000573	0.000010 mg/L		0.000606			6	20	
Calcium, total	23.4	0.20 mg/L		23.6			1	20	
Chromium, total	0.0537	0.00050 mg/L		0.0542			< 1	20	
Cobalt, total	0.0110	0.00010 mg/L		0.0113			2	20	
Copper, total	0.0338	0.00040 mg/L		0.0346			2	20	
Iron, total	28.8	0.010 mg/L		29.2			2	20	
Lead, total	0.0416	0.00020 mg/L		0.0400			4	20	
Lithium, total	0.0534	0.00010 mg/L		0.0524			2	20	
Magnesium, total	11.3	0.010 mg/L		11.4			< 1	20	
Manganese, total	2.11	0.00020 mg/L		2.12			< 1	20	
Molybdenum, total	0.00555	0.00010 mg/L		0.00574			3	20	
Nickel, total	0.0255	0.00040 mg/L		0.0269			5	20	
Phosphorus, total	0.820	0.050 mg/L		0.793			3	20	
Potassium, total	5.07	0.10 mg/L		5.28			4	20	
Selenium, total	< 0.00050	0.00050 mg/L		< 0.00050				20	
Silicon, total	48.2	1.0 mg/L		48.3			< 1	20	
Silver, total	0.000411	0.000050 mg/L		0.000391			5	20	
Sodium, total	2.21	0.10 mg/L		2.28			3	20	
Strontium, total	0.372	0.0010 mg/L		0.374			< 1	20	
Sulfur, total	< 3.0	3.0 mg/L		< 3.0				20	
Tellurium, total	< 0.00050	0.00050 mg/L		< 0.00050				20	
Thallium, total	0.000508	0.000020 mg/L		0.000504			< 1	20	
Thorium, total	0.00616	0.00010 mg/L		0.00633			3	20	
Tin, total	0.00081	0.00020 mg/L		0.00083				20	
Titanium, total	0.911	0.0050 mg/L		0.882			3	20	
Tungsten, total	0.0011	0.0010 mg/L		0.0011				20	
Uranium, total	0.121	0.000020 mg/L		0.119			2	20	
Vanadium, total	0.0557	0.0010 mg/L		0.0561			< 1	20	
Zinc, total	0.134	0.0040 mg/L		0.164			20	20	
Zirconium, total	0.00375	0.00010 mg/L		0.00449			18	20	

Reference (B1H2768-SRM1)		Prepared: 2021-08-27, Analyzed: 2021-08-27							
Aluminum, total	0.307	0.0050 mg/L	0.299	103	70-130				
Antimony, total	0.0533	0.00020 mg/L	0.0517	103	70-130				
Arsenic, total	0.122	0.00050 mg/L	0.119	102	70-130				
Barium, total	0.742	0.0050 mg/L	0.801	93	70-130				
Beryllium, total	0.0469	0.00010 mg/L	0.0501	94	70-130				
Boron, total	3.62	0.0500 mg/L	4.11	88	70-130				
Cadmium, total	0.0489	0.000010 mg/L	0.0503	97	70-130				
Calcium, total	9.24	0.20 mg/L	10.7	86	70-130				
Chromium, total	0.250	0.00050 mg/L	0.250	100	70-130				
Cobalt, total	0.0389	0.00010 mg/L	0.0384	101	70-130				
Copper, total	0.492	0.00040 mg/L	0.487	101	70-130				
Iron, total	0.511	0.010 mg/L	0.504	101	70-130				
Lead, total	0.275	0.00020 mg/L	0.278	99	70-130				
Lithium, total	0.387	0.00010 mg/L	0.398	97	70-130				
Magnesium, total	3.79	0.010 mg/L	3.59	106	70-130				
Manganese, total	0.112	0.00020 mg/L	0.111	101	70-130				
Molybdenum, total	0.203	0.00010 mg/L	0.196	104	70-130				



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Slocan River Streamkeepers
SIFCO

WORK ORDER REPORTED 21H3009
2021-09-10 09:40

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
Total Metals, Batch B1H2768, Continued									
Reference (B1H2768-SRM1), Continued					Prepared: 2021-08-27, Analyzed: 2021-08-27				
Nickel, total	0.248	0.00040 mg/L	0.248		100	70-130			
Phosphorus, total	0.277	0.050 mg/L	0.213		130	70-130			
Potassium, total	5.95	0.10 mg/L	5.89		101	70-130			
Selenium, total	0.115	0.00050 mg/L	0.120		96	70-130			
Sodium, total	9.42	0.10 mg/L	8.71		108	70-130			
Strontium, total	0.370	0.0010 mg/L	0.393		94	70-130			
Thallium, total	0.0762	0.000020 mg/L	0.0787		97	70-130			
Uranium, total	0.0328	0.000020 mg/L	0.0344		95	70-130			
Vanadium, total	0.385	0.0010 mg/L	0.391		98	70-130			
Zinc, total	2.51	0.0040 mg/L	2.50		100	70-130			